| Work Order ID 4  April 21, 2010 3:57:51 PM                |                                                               |                  |                                     |                          |                        |                    |                                               |                  | Page           |
|-----------------------------------------------------------|---------------------------------------------------------------|------------------|-------------------------------------|--------------------------|------------------------|--------------------|-----------------------------------------------|------------------|----------------|
| Item ID: D4095-3 Revision ID: PRELIM Item Name: Wearplate |                                                               | 1                | Accept                              |                          |                        | Setup              | Start Stop                                    |                  |                |
| Start Date: 21/04/201 Required Date: 28/04/201 Reference: |                                                               |                  |                                     | Cust Item I<br>Customer: | D:                     |                    |                                               |                  |                |
| Approvals: Process QC:                                    | Plan:                                                         | Date:            | Tooling: SPC (Y/N):                 |                          | ate:                   | Run                | Start<br>Stop                                 |                  |                |
| Sequence ID/<br>Work Center ID                            | Operation<br>Description                                      |                  | Set Up/<br>Run Hours                | Draw<br>Number           | Draw Plan<br>Rev. Code | Accept Re<br>Qty Q |                                               | Reject<br>Number | Insp.<br>Stamp |
|                                                           | Revision Nbr                                                  | 4,22             |                                     |                          |                        |                    | . <u>.</u>                                    |                  | - Stump        |
| Waterjet FLOW CNC Waterjet                                | FLOW WATER JET  Memo 1-Cut as p Dwg Rev: Prog Rev: 2-Deburr i |                  | 0.00                                |                          | SUKA                   | 18 10              | <u>-4</u> -                                   | 22               | Ð              |
| 110 QC Quality Control                                    | QC2- Inspect parts off  Memo                                  | nachine FAI/FAIB | 0.00                                |                          |                        | 18101              | <u>t-                                    </u> | <u>-</u>         | -              |
| 120<br>                                                   | QC8- Inspect parts - se                                       | cond check       | ے کی رہ لوں<br>0.00 د معمدو<br>0.00 | 1/23 42<br>kn 12 PAD Du  | 7                      |                    | QC A                                          | PPRO             | VAL            |

Ÿ

| Dart Aerosp | ace Ltd |
|-------------|---------|
|-------------|---------|

| W/O:        |      | · · · · · · · · · · · · · · · · · · · | M                    | ORK ORDER CHANG                                    | ES     |              |                           |     |                                     | *                                       |
|-------------|------|---------------------------------------|----------------------|----------------------------------------------------|--------|--------------|---------------------------|-----|-------------------------------------|-----------------------------------------|
| DATE        | STEP | PR                                    | OCEDURE CH           | IANGE                                              |        | Ву           | Date                      | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector                |
|             |      |                                       |                      |                                                    |        |              |                           |     |                                     |                                         |
|             |      |                                       |                      |                                                    |        |              |                           |     |                                     |                                         |
| Part No     |      | PAR #:                                |                      |                                                    |        | 1            |                           |     |                                     | •                                       |
| Resolution: |      |                                       | Disposit             | ion:                                               | QA: N  | N¢ C         | losed:                    |     | Date: _                             |                                         |
| NCR:        |      |                                       | WORK OR              | DER NON-CONFORM                                    | ANCE ( | NCI          | ₹)                        |     |                                     | *************************************** |
| DATE        | STEP | Description of NC<br>Section A        | Initial<br>Chief Eng | Corrective Action Sec Action Description Chief Eng | tion B | Sign<br>Date | Verification<br>Section C |     | Approval<br>Chief Eng               | Approval<br>QC Inspector                |
|             |      |                                       |                      |                                                    |        |              |                           |     |                                     |                                         |
|             |      |                                       |                      |                                                    |        |              |                           |     |                                     |                                         |
|             |      |                                       |                      | <i>,</i>                                           |        |              |                           |     |                                     |                                         |
|             |      |                                       |                      |                                                    |        |              |                           |     |                                     |                                         |
|             |      |                                       |                      |                                                    |        |              |                           |     |                                     |                                         |

| طمسه                           |             |                                       |                                                                       |                      | •              |              | •            |               |               | 2                |                |
|--------------------------------|-------------|---------------------------------------|-----------------------------------------------------------------------|----------------------|----------------|--------------|--------------|---------------|---------------|------------------|----------------|
| Work Orde                      |             | 020                                   |                                                                       |                      |                |              |              |               |               |                  | Page 2         |
|                                | D4095-3     | · · · · · · · · · · · · · · · · · · · |                                                                       | Accept               |                |              |              |               | Setup St      | art              |                |
| Revision ID:                   | PRELIM      |                                       |                                                                       |                      |                |              |              |               | _             |                  |                |
| Item Name:                     | Wearplate   |                                       |                                                                       |                      |                |              |              |               | St            | top              |                |
| Start Date:                    | 21/04/2010  | Start Qty: 1.00                       |                                                                       |                      | Cust Iten      | ı ID•        |              |               |               |                  |                |
| Required Date:                 | 28/04/2010  | Req'd Qty: 1.00                       |                                                                       |                      | Custome        |              |              |               |               |                  |                |
| Reference:                     |             |                                       | 1 <b>100 21  101  101  101 </b><br>                                   |                      | Custome        | •            |              |               |               |                  |                |
| Approvals:                     | Process Pla | ın:                                   | Date:                                                                 | _ Tooling:           |                | Date:        |              | ]             | Run St        | art              |                |
|                                | QC:         |                                       | Date:                                                                 | _ SPC (Y/N):         |                | Date:        |              |               | St            | top              |                |
| Sequence ID/<br>Work Center II | )           | Operation<br>Description              | , <u>-</u>                                                            | Set Up/<br>Run Hours | Draw<br>Numbei | Draw<br>Rev. | Plan<br>Code | Accept<br>Qty | Reject<br>Qty | Reject<br>Number | Insp.<br>Stamp |
| 130                            |             | , 4 1                                 |                                                                       | 0.00                 |                |              |              |               | - •           |                  | •              |
|                                |             | NC BRAKE                              | , .                                                                   |                      |                |              |              | (7)           | 1             |                  |                |
| Brake NC                       |             | Memo                                  |                                                                       | 0.00                 |                |              |              | 10            | <del></del>   |                  |                |
| Brake NC                       |             |                                       | on C-C first<br>Brake as per Dwg D4095 g<br>gles (2) as per Dwg D4095 |                      |                | 1004         | 23           | ,             |               |                  |                |
| 140                            |             | QC5- Inspect part comple              | eteness to step on W/O                                                | 0.00                 |                |              |              |               |               | QC APP           | ROVAL          |
| QC                             |             | Memo                                  |                                                                       | 0.00                 |                |              |              | +-            | -             |                  | - <del> </del> |
| Quality Control                |             |                                       | e as per dwg D4095                                                    |                      |                |              |              |               | •             |                  | Pho-           |
|                                |             |                                       | _                                                                     |                      |                |              |              |               |               |                  |                |
|                                |             |                                       |                                                                       |                      |                |              |              |               |               |                  |                |

150

Large Fab

Large Fab

Weld per dwg A/R Hardcoat S.S. Batch:\_

0.00

Large Fab

Memo

0.00

same template as D3564-1-3

| W/O: |      | WORK ORDER CHANGES    | WORK ORDER CHANGES |  |   |           |                                     |                          |  |  |  |
|------|------|-----------------------|--------------------|--|---|-----------|-------------------------------------|--------------------------|--|--|--|
| DATE | STEP | STEP PROCEDURE CHANGE |                    |  |   |           | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |  |  |  |
|      |      |                       |                    |  |   |           |                                     |                          |  |  |  |
|      |      |                       |                    |  |   |           |                                     |                          |  |  |  |
|      |      |                       |                    |  |   | ,         |                                     |                          |  |  |  |
|      |      |                       |                    |  | · |           |                                     |                          |  |  |  |
|      | -    |                       | -                  |  |   | <u></u> 1 |                                     |                          |  |  |  |

| Part No: <u>D4015-3</u> PAR #: | Fault Category: | NCR: Yes No DQA: | Date: 10-04.27 |
|--------------------------------|-----------------|------------------|----------------|
| Resolution:                    | Disposition:    | QA: N/C Closed:  | Date:          |

| NCR: 57 | 8020     | WORK ORDER NON-CONFORMANCE (NCR)                 |                      |                              |                |              |           |                          |  |  |  |  |
|---------|----------|--------------------------------------------------|----------------------|------------------------------|----------------|--------------|-----------|--------------------------|--|--|--|--|
| DATE    | 0755     | Description of NC                                |                      | Corrective Action Section B  |                | Verification | Approval  | Anneous                  |  |  |  |  |
| DATE    | STEP     | Section A                                        | Initial<br>Chief Eng | Action Description Chief Eng | Sign &<br>Date | Section C    | Chief Eng | Approval<br>QC Inspector |  |  |  |  |
| 1 11    | H<br>140 | wearplats Don't fit<br>skid tube<br>RC Dain Pale |                      | >Scrapt Destry aly x2        |                |              |           |                          |  |  |  |  |
| idog (3 | ids 140  | R.C. Dsin Pak                                    |                      | > Remple to new Duj.         |                |              |           | 10/w/23                  |  |  |  |  |
|         |          |                                                  |                      |                              |                |              |           |                          |  |  |  |  |
|         |          |                                                  |                      |                              |                |              |           |                          |  |  |  |  |
|         |          |                                                  |                      | 1                            |                |              |           |                          |  |  |  |  |
|         |          |                                                  |                      |                              |                |              |           | <u>.</u>                 |  |  |  |  |
|         |          |                                                  |                      |                              |                |              |           |                          |  |  |  |  |
|         |          |                                                  |                      |                              |                |              |           |                          |  |  |  |  |

| .,                                                        |                                 |                                                |                        |                              |                          |              |              |               |               |                  |                |
|-----------------------------------------------------------|---------------------------------|------------------------------------------------|------------------------|------------------------------|--------------------------|--------------|--------------|---------------|---------------|------------------|----------------|
| Work Ord                                                  |                                 | 020                                            |                        |                              |                          |              |              |               |               |                  | Page í         |
| Item ID:<br>Revision ID:                                  | D4095-3<br>PRELIM               |                                                |                        | Accept                       |                          |              |              | iii s         | Setup Star    |                  |                |
| Item Name:<br>Start Date:<br>Required Date:<br>Reference: | Wearplate 21/04/2010 28/04/2010 | Start Qty: 1.00<br>Req'd Qty: 1.00             |                        |                              | Cust Item I<br>Customer: | D:           |              |               | Sto           |                  |                |
| Approvals:                                                | Process Pla                     | nn:                                            | Date:                  | Tooling:                     | Da                       | ate:         |              | F             | Run Star      | ·t               |                |
|                                                           | QC:                             |                                                | _ Date:                |                              | Da                       | ite:         |              |               | Sto           | P                |                |
| Sequence ID/<br>Work Center II                            | D                               | Operation Description QC10- Inspect visual per | QSI004- ground welds   | Set Up/<br>Run Hours<br>0.00 | Draw<br>Number           | Draw<br>Rev. | Plan<br>Code | Accept<br>Qty | Reject<br>Qty | Reject<br>Number | Insp.<br>Stamp |
| QC<br>Quality Control                                     |                                 | Memo                                           |                        | 0.00                         | , 'r                     | 1            |              |               | <u> </u>      |                  |                |
| 170                                                       |                                 | QC5- Inspect part compl                        | eteness to step on W/O | 0.00                         |                          |              |              |               | Q             | ; APPF           | ROVAL          |
| QC<br>Quality Control                                     |                                 | Memo                                           |                        | 0.00                         |                          |              |              |               |               |                  |                |

0.00

0.00

180

Powdercoat

Powder Coating

Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

START TIME:
OVEN TEMPERATURE:
FINISH TIME:

Memo

| Dart Aerosp | pace Ltd |
|-------------|----------|
|-------------|----------|

| W/O: |      |                     | W                                      | ORK ORDER CHANG              | GES                           | <del> </del> |          |          | · · · · · · · · · · · · · · · · · · · | <u> </u>                 |
|------|------|---------------------|----------------------------------------|------------------------------|-------------------------------|--------------|----------|----------|---------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE By |                                        |                              |                               |              | Date     | Qty      | Approval Chief Eng / Prod Mgr         | Approval<br>QC Inspector |
|      | į    |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
| 4    |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      | PAR #:              | Fault Cate                             | egory:                       | NCR:                          | Yes          | No DQ    | A:       | Date:                                 |                          |
|      |      |                     | Disposition                            | N/C Closed: Date:            |                               |              |          |          |                                       |                          |
| NCR: |      |                     | WORK ORD                               | ER NON-CONFORM               | ANCE (                        | NCF          | R)       |          |                                       |                          |
| DATE | STEP | Description of NC   | ······································ | ction B                      | Verific                       | cation       | Approval | Approval |                                       |                          |
| DAIL | JILL | Section A           | Initial<br>Chief Eng                   | Action Description Chief Eng | cription   Sign &   Section C |              |          |          | Chief Eng                             | QC Inspector             |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |
|      |      |                     |                                        |                              |                               |              | 1        |          | 1                                     |                          |
|      |      |                     |                                        |                              |                               |              |          |          |                                       |                          |

| <b>Work Orde</b><br>April 21, 2010 3                |                                                            | 020                                                 |                    |                              |                     |              |              |               | Pa    |               |                                    |    |  |
|-----------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------|--------------------|------------------------------|---------------------|--------------|--------------|---------------|-------|---------------|------------------------------------|----|--|
| Revision ID:<br>Item Name:                          | D4095-3<br>PRELIM<br>Wearplate<br>21/04/2010<br>28/04/2010 | Start Qty: 1.00<br>Req'd Qty: 1.00                  | ]                  | Accept                       | Cust Item Customer: | ID:          |              |               | Setup | Start<br>Stop |                                    |    |  |
| Approvals:                                          |                                                            | n:                                                  |                    |                              | <del>-</del>        | oate:        |              |               | Run   | Start<br>Stop |                                    |    |  |
| Sequence ID/ Work Center II  190 QC Quality Control | •                                                          | Operation Description QC3- Inspect Part Finish Memo | , <b>,</b>         | Set Up/<br>Run Hours<br>0.00 | Draw<br>Number      | Draw<br>Rev. | Plan<br>Code | Accept<br>Qty |       |               | Reject Insp. NUMBER STAND APPROVAL | -  |  |
| 200<br>Packaging<br>Packaging                       |                                                            | Identify as per dwg & Stor                          | ck Location:       | 0.00                         |                     |              |              |               |       |               |                                    | -  |  |
| 210<br>AND AND AND AND AND AND AND AND AND AND      |                                                            | QC21- Final Inspection -  Memo                      | Work Order Release | 0.00                         |                     |              |              |               |       | ·             | W D. W                             | vf |  |
|                                                     |                                                            |                                                     |                    |                              |                     | TIVE RE      | KZL A        | NOTH W        |       |               | <b>v</b> -                         |    |  |

| Dart Ae | rospace L | .td                              |                                                           |                |        |        |                           |                               |                          |
|---------|-----------|----------------------------------|-----------------------------------------------------------|----------------|--------|--------|---------------------------|-------------------------------|--------------------------|
| W/O:    |           |                                  | WC                                                        | RK ORDER CHANG | GES    |        |                           |                               | <u> </u>                 |
| DATE    | STEP      |                                  |                                                           |                |        | Ву     | Date Q                    | Approval Chief Eng / Prod Mgr | Approva<br>QC Inspector  |
|         |           |                                  |                                                           |                |        |        |                           |                               |                          |
|         |           | PAR #:                           |                                                           |                |        |        |                           |                               |                          |
| NCR:    |           | ·                                |                                                           | ER NON-CONFORM |        |        |                           | Date                          |                          |
| DATE    | STEP      | STEP Description of NC Section A | Corrective Action Initial Action Desc Chief Eng Chief Eng |                | tion B | Sign & | Verification<br>Section C | Approval<br>Chief Eng         | Approval<br>QC Inspector |
|         |           | ;                                |                                                           |                |        |        |                           |                               |                          |
|         |           |                                  |                                                           |                |        |        |                           |                               |                          |

**Picklist Print** 

April 21, 2010 3:57:56 PM

Work Order ID: 58020

Parent Item: Darent Item Name:

D4095-3 Wearplate

Comments:

IPP Rev:A new issue DD 10.04.21 verified by:EC

**Start Date:** 21/04/2010

**Required Date: 28/04/2010** 

Page 1

Start Qty: 1.00

Required Qty: 1.00


| Component Item ID/ | Replacement | Mfg/      | Bin  | Primary  | Last     | Route  | Unit of | Qty on | Remaining   | Qty    | Date   | Status |
|--------------------|-------------|-----------|------|----------|----------|--------|---------|--------|-------------|--------|--------|--------|
| Item Name          | Item ID     | Purch     | Item | Location | Location | Seq ID | Measure | Hand   | Qty To Pick | Issued | Issued |        |
| M304S16GA          |             | Purchased | No   |          |          | 100    | sf      | 0.0000 | 2.3076      | 1B 10- | 4-73   |        |


304/316 Sheet .063

304.063 114467

 $\bigcirc$ 

| W/O: |      |                                | W                                                                                            | ORK ORDER CHAN  | GES   |        |              |                                         |                                     |                          |  |
|------|------|--------------------------------|----------------------------------------------------------------------------------------------|-----------------|-------|--------|--------------|-----------------------------------------|-------------------------------------|--------------------------|--|
| DATE | STEP | PRO                            | PROCEDURE CHANGE                                                                             |                 |       |        | Date         | Qty                                     | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                | PAR #:         Fault Category:         NCR:           on:         Disposition:         QA: N |                 |       |        |              |                                         |                                     |                          |  |
|      |      | esolution:                     |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
| NCR: |      |                                | WORK ORI                                                                                     | DER NON-CONFORM | IANCE | NCR    | )            |                                         |                                     |                          |  |
| DATE | STEP | Description of NC<br>Section A | Corrective Action Section B Initial Action Description                                       |                 |       | Sign & | Verification |                                         | Approval                            | Approval                 |  |
|      |      | Section A                      | Chief Eng                                                                                    | Chief Eng       |       | Date   | Secti        | on C                                    | Chief Eng                           | QC Inspector             |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              | *************************************** |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        |              |                                         |                                     |                          |  |
|      |      |                                |                                                                                              |                 |       |        | ļ            |                                         |                                     |                          |  |
|      |      | I                              |                                                                                              |                 | 1     | 1 .    | 1            |                                         | I                                   | l                        |  |





| DART AEROSPACE LTD               | Work Order:  | 96982       |
|----------------------------------|--------------|-------------|
| Description: WEAR PLATE          | Part Number: | D4095-3     |
| Inspection Dwg:D4095-3, Rev: PAI |              | Page 1 of 1 |

## FIRST ARTICLE INSPECTION CHECKLIST

X First Article X Prototype

| Drawing<br>Dimension | Tolerance | Actual<br>Dimension | Accept | Rejest | Method of<br>Inspection | Comments |
|----------------------|-----------|---------------------|--------|--------|-------------------------|----------|
| 1300                 | 4 .00     | (36)                | *      |        |                         |          |
| . 366                | 4 010 -   | .363-               | ğ      |        |                         |          |
| 2. 432               | y do      | 2.435               | *      |        |                         |          |
| 3.727                | 4 .010    | 3.774               | X      |        |                         |          |
| 4.06                 | TL .030   | 4.055               | ×      |        |                         |          |
| 7.50                 | 4 020     | 2,502               | R      |        |                         |          |
| 11,50                | 4 .030    | 11.50               | de     |        |                         |          |
| 23.34                | 4_ 030    | 23.34               | 2      |        |                         |          |
| 6.31                 | 4030      | 6.31                | R      |        |                         |          |
| 3.56                 | 4330      | 3,50                | *      |        |                         |          |
| 1.33                 | ٧00       | 1.333               | 8      |        |                         |          |
| 8,57                 | 42,03     | 8.568               | ×      |        |                         |          |
| 6.000                | 17 -OM    | 5.997               | 8      |        |                         |          |
| 12.104               | T- 000    | 12,104              | 7      |        |                         |          |
| (€.∞১                | 4 .00     | 18.000              | 8      |        |                         |          |
| 9.005                | 4 -010    | 9,000               | 8      |        |                         |          |
| 30.000               | 72 010    | 30.000              | Ø      |        |                         |          |
| 36.000               | TL '010   | 36.00               | 8      |        | ·                       |          |
| 38.88                | 4030      | 38.874              | 8      |        |                         |          |
| P81. 4               | t.005001  | . 189               | ठ      |        |                         |          |
| . 063                | 41- 060   | .059                | 7      |        |                         |          |
|                      | ·         |                     |        |        |                         |          |
|                      |           |                     |        |        |                         |          |

|              |         |             |           | Duration and Americal | . T  |          |
|--------------|---------|-------------|-----------|-----------------------|------|----------|
| Measured by: | rB.     | Audited by: | 8         | Prototype Approval:   |      |          |
| Date:        | 10-4-37 | Date:       | 10/04/03  | Date:                 |      |          |
|              |         | inspector 1 | v DAD Duj | Poviser               | d by | Approved |

| Rev | Date | Change    | Revised by | Approved |
|-----|------|-----------|------------|----------|
| A   |      | New Issue | KJ/JLM     |          |